

寸法表

リアクトル始動器

形式	電圧	容量	外形図	W	D	H	質量 (kg)
RS	200/220V	0.75 ~ 1.5	A	150	125	135	5
		2.2 ~ 3.7		150	125	155	8
		5.5 ~ 7.5		150	125	200	12
		11 ~ 15		200	165	210	19
		19 ~ 22		200	165	230	23
		30 ~ 37	B	315	195	270	36
		45 ~ 55		400	200	335	70
		75		400	230	365	84
		110		455	230	410	116
		150		515	280	440	158
		220		515	320	505	215
	400/440V	5.5 ~ 7.5	A	150	125	200	11
		11 ~ 15		200	165	210	19
		19 ~ 22		200	165	230	22
		30 ~ 37	B	315	195	265	36
		45 ~ 55		400	210	320	72
		75		370	230	355	81
		110		435	230	410	114
		150		465	260	410	146
		220		465	300	410	176
		250		485	300	410	209
		300		485	300	530	245
		400		595	320	580	324
		500		620	370	560	360
	3000/3300V	55	B	490	230	375	122
		75		490	230	405	131
		100		500	255	405	146
		125		500	245	470	186
		150		500	245	485	190
		200		500	285	495	233
		250		530	285	510	266
		300		600	315	545	391
		350		600	325	555	399
		400		600	345	555	438
		500		620	345	625	529
		600		620	345	635	541
		710		620	305	780	524
		800		620	325	780	562
		900		640	345	780	604
		1000		660	405	790	659
		1250		770	405	850	832
	6000/6600V	75	B	460	235	410	118
		125		490	255	435	159
		150		520	255	495	203
		200		520	295	495	240
		250		550	295	530	283
		300		550	295	585	310
		350		600	325	570	409
		400		600	385	585	465
		500		550	305	675	367
		600		550	345	675	423
		710		580	345	730	486
		800		580	365	730	523
		900		660	345	780	627
		1000		660	365	800	687
		1250		690	385	830	800
		1600		730	445	880	1047

形式	電圧	容量	外形図	W	D	H	質量 (kg)
KR-1	200/220V	0.75 ~ 1.5	A	150	125	130	5
		2.2 ~ 3.7		150	125	150	8
		5.5 ~ 7.5		150	125	200	12
		11 ~ 15		200	165	210	20
		19 ~ 22		200	165	230	24
		30 ~ 37	B	315	240	265	50
		45 ~ 55		400	240	330	75
		75		400	275	370	95
		110		455	275	440	130
		150		515	300	470	185
	400/440V	2.2 ~ 3.7	A	150	13	180	8
		5.5 ~ 7.5		150	125	200	12
		11 ~ 15		200	165	210	20
		19 ~ 22		200	165	230	24
		30 ~ 37	B	315	240	265	50
		45 ~ 55		400	240	325	75
		75		370	250	355	90
		110		435	275	405	125
		150		465	300	410	146
		220		485	360	445	210
		250		515	360	470	245
		300		600	380	575	340
KR-3	200/220V	0.75 ~ 1.5	A	220	150	150	10
		2.2 ~ 3.7		220	150	170	10
		5.5 ~ 7.5		220	150	200	15
		11		270	155	230	20
		15		270	160	230	25
		19 ~ 22	B	290	270	265	35
		30		350	240	280	50
		37		400	240	325	75
		45		400	255	365	80
		55		430	270	370	105
		75		460	280	390	130
		100		520	300	425	160
		125		520	320	465	190
		150		540	340	475	210
	400/440V	2.2 ~ 3.7	A	220	150	170	10
		5.5 ~ 7.5		220	150	210	15
		11 ~ 15		270	155	230	25
		19 ~ 22		290	175	250	35
		30 ~ 37	B	350	240	275	50
		45 ~ 55		400	235	355	80
		75		400	260	355	95
		100		430	270	410	130
		125		470	285	435	165
		150		500	300	450	185
		200		520	330	495	220
		225		560	380	485	275
		250		560	380	485	275
		300		600	380	575	340